*Brain Research*, 500 (1989) 408–410
Elsevier

# Author Index

Aghajanian, G.K., see Wang, Y.-Y., 107
Åkerman, K.E.O., see Kristian Enkvist, M.O., 46
Alescio-Lautier, B., Metzger, D., Devigne, C. and Soumireu-Mourat, B., Microinjection of anti-vasopressin serum into hippocampus in mice: effects on appetitively reinforced task after intraventricular administration of Arg-vasopressin, 287
Allard, M., Geoffre, S., Legendre, P., Vincent, J.D. and Simonnet, G., Characterization of rat spinal cord receptors to FLFQPQRFamide, a mammalian morphine modulating peptide: a binding study, 169
Aou, S., see Lénárd, L., 359

Bailo, M.T., see Jhanwar-Uniyal, M., 247
Barnes, C.A., see Mizumori, S.J.Y., 99
Baskin, D.G., see Wilcox, B.J., 149
Bauman, W.A., Hashim, A. and Sershen, H., Cerebral cortical concentrations of bioamines and their metabolites during arousal and after feeding in the little brown bat (*Myotis lucifugus*), 156
Bell, G.A., see Slotnick, B.M., 161
Bennett-Clarke, C., Mooney, R.D., Chiaia, N.L. and Rhoades, R.W., A substance P projection from the superior colliculus to the parabigeminal nucleus in the rat and hamster, 1
Bodnar, R.J., see Kiefel, J.M., 231
Bowen, D.M., see Steele, J.E., 369
Bowersox, S., see Fruhstorfer, B., 209
Brismar, T., Collins, V.P. and Kesselberg, M., Thallium-201 uptake relates to membrane potential and potassium permeability in human glioma cells, 30
Buckett, W.R., see Crespi, F., 241
Buggy, J., see DeCoursey, P.J., 263
Burke, S.P. and Nadler, J.V., Effects of glucose deficiency on glutamate/aspartate release and excitatory synaptic responses in the hippocampal CA1 area in vitro, 333
Bush, L.G., see Merchant, K.M., 21

Casanova, M.F., see Honer, W.G., 379
Caspary, D.M., see Faingold, C.L., 302
Cervero, F., see Lumb, B.M., 400
Champagnat, J., see Foutz, A.S., 199
Chavkin, C., see Neumaier, J.F., 215
Chiaia, N.L., see Bennett-Clarke, C., 1
Chida, K., Iadecola, C. and Reis, D.J., Global reduction in cerebral blood flow and metabolism elicited from intrinsic neurons of fastigial nucleus, 177
Collins, V.P., see Brismar, T., 30
Crespi, F., Martin, K.F., Heal, D.J., Marsden, C.A., Buckett, W.R. and Sanghera, M.K., Measurement of 3-methoxytyramine by in vivo voltammetry: evidence for differences in central dopamine function in BALB/c and CBA mice, 241
Crowne, D.P., see Willar, C.D., 405
Cuber, J.-C., see De Nadai, F., 193

Davies, P., see Honer, W.G., 379
De Bruyckere, K., see Schotte, A., 295
DeCoursey, P.J. and Buggy, J., Circadian rhythmicity after neural transplant to hamster third ventricle: specificity of suprachiasmatic nuclei, 263
Dement, W.C., see Fruhstorfer, B., 209
De Nadai, F., Cuber, J.-C. and Kitabgi, P., The characterization and regional distribution of neuromedin N-like immunoreactivity in rat brain using a highly sensitive and specific radioimmunoassay. Comparison with the distribution of neurotensin, 193
Denavit-Saubié, M., see Foutz, A.S., 199
Denton, D.A., see Tarjan, E., 352
Devigne, C., see Alescio-Lautier, B., 287
Dorsa, D.M., see Wilcox, B.J., 149
Dreifuss, J.J., see Loup, F., 223
Dubois-Dauphin, M., see Loup, F., 223
Dyck, P.J., see Giannini, C., 131

Eder-Colli, L., Froment, Y. and Monsurro, M.R., Direct inhibition of choline acetyltransferase activity by a monoclonal antibody raised against the plasma membrane of cholinergic nerve terminals, 90

Faingold, C.L., Gehlbach, G. and Caspary, D.M., On the role of GABA as an inhibitory neurotransmitter in inferior colliculus neurons: iontophoretic studies, 302
Farrar, R.P., Seibert, C., Gnau, K. and Leslie, S.W., Development of tolerance in brain mitochondria for calcium uptake following chronic ethanol ingestion, 374
Foutz, A.S., Champagnat, J. and Denavit-Saubié, M., Involvement of *N*-methyl-D-aspartate (NMDA) receptors in respiratory rhythmogenesis, 199
Fox, S.E., see Stewart, M., 55
Froment, Y., see Eder-Colli, L., 90
Fruhstorfer, B., Mignot, E., Bowersox, S., Nishino, S., Dement, W.C. and Guilleminault, C., Canine narcolepsy is associated with an elevated number of $\alpha_2$-receptors in the locus coeruleus, 209

Galloway, P.G. and Likavec, M.J., Ubiquitin in normal, reactive and neoplastic human astrocytes, 343
Gehlbach, G., see Faingold, C.L., 302
Geoffre, S., see Allard, M., 169
Giannini, C., Lais, A.C. and Dyck, P.J., Number, size, and class of peripheral nerve fibers regenerating after crush, multiple crush, and graft, 131
Gibb, J.W., see Merchant, K.M., 21
Giuliano, R., see Milner, T.A., 67
Gnau, K., see Farrar, R.P., 374
Greenberger, V., see Segal, M., 139
Gritti, I., see Marini, G., 395
Guilleminault, C., see Fruhstorfer, B., 209

Hanson, G.R., see Merchant, K.M., 21
Hashim, A., see Bauman, W.A., 156
Heal, D.J., see Crespi, F., 241
Helme, R.D., see Khalil, Z., 256
Holopainen, I., see Kristian Enkvist, M.O., 46
Holt, S.J. and York, D.A., Interaction of intracerebroventri-

*Brain Research*, 500 (1989) 408–410
Elsevier

# Author Index

Aghajanian, G.K., see Wang, Y.-Y., 107
Åkerman, K.E.O., see Kristian Enkvist, M.O., 46
Alescio-Lautier, B., Metzger, D., Devigne, C. and Soumireu-Mourat, B., Microinjection of anti-vasopressin serum into hippocampus in mice: effects on appetitively reinforced task after intraventricular administration of Arg-vasopressin, 287
Allard, M., Geoffre, S., Legendre, P., Vincent, J.D. and Simonnet, G., Characterization of rat spinal cord receptors to FLFQPQRFamide, a mammalian morphine modulating peptide: a binding study, 169
Aou, S., see Lénárd, L., 359

Bailo, M.T., see Jhanwar-Uniyal, M., 247
Barnes, C.A., see Mizumori, S.J.Y., 99
Baskin, D.G., see Wilcox, B.J., 149
Bauman, W.A., Hashim, A. and Sershen, H., Cerebral cortical concentrations of bioamines and their metabolites during arousal and after feeding in the little brown bat (*Myotis lucifugus*), 156
Bell, G.A., see Slotnick, B.M., 161
Bennett-Clarke, C., Mooney, R.D., Chiaia, N.L. and Rhoades, R.W., A substance P projection from the superior colliculus to the parabigeminal nucleus in the rat and hamster, 1
Bodnar, R.J., see Kiefel, J.M., 231
Bowen, D.M., see Steele, J.E., 369
Bowersox, S., see Fruhstorfer, B., 209
Brismar, T., Collins, V.P. and Kesselberg, M., Thallium-201 uptake relates to membrane potential and potassium permeability in human glioma cells, 30
Buckett, W.R., see Crespi, F., 241
Buggy, J., see DeCoursey, P.J., 263
Burke, S.P. and Nadler, J.V., Effects of glucose deficiency on glutamate/aspartate release and excitatory synaptic responses in the hippocampal CA1 area in vitro, 333
Bush, L.G., see Merchant, K.M., 21

Casanova, M.F., see Honer, W.G., 379
Caspary, D.M., see Faingold, C.L., 302
Cervero, F., see Lumb, B.M., 400
Champagnat, J., see Foutz, A.S., 199
Chavkin, C., see Neumaier, J.F., 215
Chiaia, N.L., see Bennett-Clarke, C., 1
Chida, K., Iadecola, C. and Reis, D.J., Global reduction in cerebral blood flow and metabolism elicited from intrinsic neurons of fastigial nucleus, 177
Collins, V.P., see Brismar, T., 30
Crespi, F., Martin, K.F., Heal, D.J., Marsden, C.A., Buckett, W.R. and Sanghera, M.K., Measurement of 3-methoxytyramine by in vivo voltammetry: evidence for differences in central dopamine function in BALB/c and CBA mice, 241
Crowne, D.P., see Willar, C.D., 405
Cuber, J.-C., see De Nadai, F., 193

Davies, P., see Honer, W.G., 379
De Bruyckere, K., see Schotte, A., 295
DeCoursey, P.J. and Buggy, J., Circadian rhythmicity after neural transplant to hamster third ventricle: specificity of suprachiasmatic nuclei, 263
Dement, W.C., see Fruhstorfer, B., 209
De Nadai, F., Cuber, J.-C. and Kitabgi, P., The characterization and regional distribution of neuromedin N-like immunoreactivity in rat brain using a highly sensitive and specific radioimmunoassay. Comparison with the distribution of neurotensin, 193
Denavit-Saubié, M., see Foutz, A.S., 199
Denton, D.A., see Tarjan, E., 352
Devigne, C., see Alescio-Lautier, B., 287
Dorsa, D.M., see Wilcox, B.J., 149
Dreifuss, J.J., see Loup, F., 223
Dubois-Dauphin, M., see Loup, F., 223
Dyck, P.J., see Giannini, C., 131

Eder-Colli, L., Froment, Y. and Monsurro, M.R., Direct inhibition of choline acetyltransferase activity by a monoclonal antibody raised against the plasma membrane of cholinergic nerve terminals, 90

Faingold, C.L., Gehlbach, G. and Caspary, D.M., On the role of GABA as an inhibitory neurotransmitter in inferior colliculus neurons: iontophoretic studies, 302
Farrar, R.P., Seibert, C., Gnau, K. and Leslie, S.W., Development of tolerance in brain mitochondria for calcium uptake following chronic ethanol ingestion, 374
Foutz, A.S., Champagnat, J. and Denavit-Saubié, M., Involvement of *N*-methyl-D-aspartate (NMDA) receptors in respiratory rhythmogenesis, 199
Fox, S.E., see Stewart, M., 55
Froment, Y., see Eder-Colli, L., 90
Fruhstorfer, B., Mignot, E., Bowersox, S., Nishino, S., Dement, W.C. and Guilleminault, C., Canine narcolepsy is associated with an elevated number of $\alpha_2$-receptors in the locus coeruleus, 209

Galloway, P.G. and Likavec, M.J., Ubiquitin in normal, reactive and neoplastic human astrocytes, 343
Gehlbach, G., see Faingold, C.L., 302
Geoffre, S., see Allard, M., 169
Giannini, C., Lais, A.C. and Dyck, P.J., Number, size, and class of peripheral nerve fibers regenerating after crush, multiple crush, and graft, 131
Gibb, J.W., see Merchant, K.M., 21
Giuliano, R., see Milner, T.A., 67
Gnau, K., see Farrar, R.P., 374
Greenberger, V., see Segal, M., 139
Gritti, I., see Marini, G., 395
Guilleminault, C., see Fruhstorfer, B., 209

Hanson, G.R., see Merchant, K.M., 21
Hashim, A., see Bauman, W.A., 156
Heal, D.J., see Crespi, F., 241
Helme, R.D., see Khalil, Z., 256
Holopainen, I., see Kristian Enkvist, M.O., 46
Holt, S.J. and York, D.A., Interaction of intracerebroventri-

cular insulin and glucose in the regulation of the activity of sympathetic efferent nerves to brown adipose tissue in lean and obese Zucker rats, 384
Honer, W.G., Kaufmann, C.A., Kleinman, J.E., Casanova, M.F. and Davies, P., Monoclonal antibodies to study the brainstem in schizophrenia, 379
Hull, E.M., see Pehek, E.A., 325

Iadecola, C., see Chida, K., 177

Janssen, P.F.M., see Schotte, A., 295
Jhanwar-Uniyal, M., Renner, K.J., Bailo, M.T., Luine, V.N. and Leibowitz, S.F., Corticosterone-dependent alterations in utilization of catecholamines in discrete areas of rat brain, 247

Kaufmann, C.A., see Honer, W.G., 379
Kesselberg, M., see Brismar, T., 30
Khalil, Z. and Helme, R.D., Sequence of events in substance P-mediated plasma extravasation in rat skin, 256
Kiefel, J.M., Paul, D. and Bodnar, R.J., Reduction in opioid and non-opioid forms of swim analgesia by 5-$HT_2$ receptor antagonists, 231
Kitabgi, P., see De Nadai, F., 193
Kleinman, J.E., see Horner, W.G., 379
Kristian Enkvist, M.O., Holopainen, I. and Åkerman, K.E.O., $\alpha$-Receptor and cholinergic receptor-linked changes in cytosolic $Ca^{2+}$ and membrane potential in primary rat astrocytes, 46

Laedtke, T.W. and Turner, J.E., Embryonic retinal grafts have a beneficial effect on the damaged host retina, 61
Laing, D.G., see Slotnick, B.M., 161
Lais, A.C., see Giannini, C., 131
Laursen, A.M., see Rekling, J.C., 276
Legendre, P., see Allard, M., 169
Leibowitz, S.F., see Jhanwar-Uniyal, M., 247
Lénárd, L., Oomuro, Y., Nakano, Y., Aou, S. and Nishino, H., Influence of acetylcholine on neuronal activity of monkey amygdala during bar press feeding behavior, 359
Leslie, S.E., see Farrar, R.P., 374
Lewis, D.A., see Noack, H.J., 313
Leysen, J.E., see Schotte, A., 295
Likavec, M.J., see Galloway, P.G., 343
Loup, F., Tribollet, E., Dubois-Dauphin, M., Pizzolato, G. and Dreifuss, J.J., Localization of oxytocin binding sites in the human brainstem and upper spinal cord: an autoradiographic study, 223
Luine, V.N., see Jhanwar-Uniyal, M., 247
Lumb, B.M. and Cervero, F., Modulation of viscerosomatic reflex by electrical and chemical stimulation of hypothalamic structures in the rat, 400

Mancia, M., see Marini, G., 395
Marini, G., Gritti, I. and Mancia, M., Changes in EEG spindle activity induced by ibotenic acid lesions of medialis dorsalis thalamic nuclei in the cat, 395
Marsden, C.A., see Crespie, F., 241
Martin, K.F., see Crespi, F., 241
Matsumoto, A.M., see Wilcox, B.J., 149
McDonald, A.J., Coexistence of somatostatin with neuropeptide Y, but not with cholecystokinin or vasoactive intestinal peptide, in neurons of the rat amygdala, 37
McNaughton, B.L., see Mizumori, S.J.Y., 99
Merchant, K.M., Bush, L.G., Gibb, J.W. and Hanson, G.R., Dopamine $D_2$ receptors exert tonic regulation over discrete neurotensin systems of the rat brain, 21
Metzger, D., see Alescio-Lautier, B., 287
Milner, T.A., Pickel, V.M., Giuliano, R. and Reis, D.J., Ultrastructural localization of choline acetyltransferase in the rat rostral ventrolateral medulla: evidence for major synaptic relations with non-catecholaminergic neurons, 67
Mizumori, S.J.Y., Barnes, C.A. and McNaughton, B.L., Reversible inactivation of the medial septum: selective effects on the spontaneous unit activity of different hippocampal cell types, 99
Monsurro, M.R., see Eder-Colli, L., 90
Mooney, R.D., see Bennett-Clarke, C., 1
Murase, K., see Urban, L., 12

Nadler, J.V., see Burke, S.P., 333
Nakano, Y., see Lénárd, L., 359
Neumaier, J.F. and Chavkin, C., Calcium-dependent displacement of haloperidol-sensitive $\sigma$ receptor binding in rat hippocampal slices following tissue depolarization, 215
Nishino, S., see Fruhstorfer, B., 209
Nishino, H., see Lénárd, L., 359
Noack, H.J. and Lewis, D.A., Antibodies directed against tyrosine hydroxylase differentially recognize noradrenergic axons in monkey neocortex, 313

Oomuro, Y., see Lénárd, L., 359

Palmer, A.M., see Steele, J.E., 369
Panhuber, H., see Slotnick, B.M., 161
Paul, D.E., see Kiefel, J.M., 231
Pearl, E., see Segal, M., 139
Pehek, E.A., Thompson, J.T. and Hull, E.M., The effects of intracranial administration of the dopamine agonist apomorphine on penile reflexes and seminal emission in the rat, 325
Pickel, V.M., see Milner, T.A., 67
Pizzolato, G., see Loup, F., 223

Randić, M., see Urban, L., 12
Reis, D.J., see Chida, K., 177
Reis, D.J., see Milner, T.A., 67
Rekling, J.C. and Laursen, A.M., Evidence for a persistent sodium conductance in neurons from the nucleus prepositus hypoglossi, 276
Renner, K.J., see Jhanwar-Uniyal, M., 247
Rhoades, R.W., see Bennett-Clarke, C., 1

Sanghera, M.K., see Crespi, F., 241
Schotte, A., De Bruyckere, K., Janssen, P.F.M. and Leysen, J.E., Receptor occupancy by ritanserin and risperidone measured using ex vivo autoradiography, 295
Segal, M., Greenberger, V. and Pearl, E., Septal transplants ameliorate spatial deficits and restore cholinergic functions in rats with a damaged septo-hippocampal connection, 139
Seibert, C., see Farrar, R.P., 374
Sershen, H., see Bauman, W.A., 156
Simonnet, G., see Allard, M., 169
Sivam, S.P., $D_1$ dopamine receptor-mediated substance P depletion in the striatonigral neurons of rats subjected to neonatal dopaminergic denervation: implications for self-injurious behavior, 119
Slotnick, B.M., Panhuber, H., Bell, G.A. and Laing, D.G., Odor-induced metabolic activity in the olfactory bulb of rats

trained todetect propionic acid vapor, 161
Soumireu-Mourat, B., see Alescio-Lautier, B., 287
Steele, J.E., Palmer, A.M., Stratmann, G.C. and Bowen, D.M., The *N*-methyl-D-aspartate receptor complex in Alzheimer's disease: reduced regulation by glycine but not zinc, 369
Stewart, M. and Fox, S.E., Detection of an atropine-resistant component of the hippocampal theta rhythm in urethane-anesthetized rats, 55
Stratmann, G.C., see Steele, J.E., 369

Tarjan, E., Denton, D.A. and Weisinger, R.S., Cerebral sodium sensors in the sodium-deplete sheep, 352
Thompson, J.T., see Pehek, E.A., 325
Tribollet, E., see Loup, F., 223
Turner, J.E., see Laedtke, T.W., 61

Urban, L., Willetts, J., Murase, K. and Randić, M., Cholinergic effects on spinal dorsal horn neurons in vitro: an intracellular study, 12

Van Vulpen, E.H.S. and Verwer, R.W.H., Organization of projections from the mediodorsal nucleus of the thalamus to the basolateral complex of the amygdala in the rat, 389
Verwer, R.W.H., see Van Vulpen, E.H.S., 389
Vincent, J.D., see Allard, M., 169

Wang, Y.-Y. and Aghajanian, G.K., Excitation of locus coeruleus neurons by vasoactive intestinal peptide: evidence for a G-protein-mediated inward current, 107
Weisinger, R.S., see Tarjan, E., 352
Wilcox, B.J., Matsumoto, A.M., Dorsa, D.M. and Baskin, D.G., Reduction of insulin binding in the arcuate nucleus of the rat hypothalamus after 6-hydroxydopamine treatment, 149
Willar, C.D. and Crowne, D.P., Circling, hemispheric assymmetry, and left–right discrimination, 405
Willetts, J., see Urban, L., 12

York, D.A., see Holt, S.J., 384